CHAPTER 14 - REFERENCES and WEBLINKS

- Alma, P.J. 1977: Antheraea eucalypti Scott (Lepidoptera: Saturniidae). Gum Emperormoth. New Zealand Forest Service, Forest and Timber Insects in New Zealand No. 7.
- Barr, N. 1971: Siting and Utilisation of Eucalypts. *Farm Forestry* Vol. 13, No. 3, pp 76-87.
- Barr, N. 1996: Growing Eucalypt Trees for Milling on New Zealand Farms. Published by NZ Farm Forestry Association Inc. 140 pp.
- Berrill, J-P.; Hay, A.E. 2006 Indicative growth and yield models for even-aged *Eucalyptus* fastigata plantations in New Zealand.

 New Zealand Journal of Forestry Science.
- Bier, H. (revised by Britton R.A.J.) 1999: Strength properties of small clear specimens of New Zealand-grown timbers. *FRI Bulletin No 41*.
- Black, R. 2004: Selecting timber. A guide to choosing timber for use in building. BRANZ, Porirua City, New Zealand
- Boland, D.J.; Brooker, M.I.H.; Chippendale, G.M.; Hall. N.; Hyland, B.P.M.; Johnston, R.D.; Kleinig, D.A.; Turner, J.D. 1984: Forest trees of Australia, Nelson CSIRO, Melbourne, Australia.
- Bolza, E.; Kloot, N.H. 1963: The mechanical properties of 174 Australian timbers. CSIRO, Div. For.Prods., Technical Paper No. 25.
- Bootle, K.R. 2005: Wood in Australia: types, properties and uses (second edition). McGraw-Hill Book Company, Sydney.
- Candy, S.G. 1997: Growth and yield models for Eucalyptus nitens plantations in Tasmania and New Zealand. TasForests Vol 9 (December): 167-198.
- Carter, P. 1989: Wind damage in Kinleith Forest-Effects of Cyclone Bola. In Wind Damage in New Zealand Exotic Forests, (Eds Alan Somerville, Stephen Wakelin and Lesley Whitehouse), FRI Bulletin 146.

- Cavana, R.Y.; Glass, B.P. 1985: Economic analysis of selected special-purpose species regimes.

 New Zealand Journal of Forestry Science 15(2): 180-194 (1985).
- Clifton, N.C. 1994: New Zealand Timbers: exotic and indigenous: The complete guide (Revised).
 G P Books, Wellington. 170 pp.
- Deadman, M.W. and Goulding, C.J. 1979: A Method for the Assessment of Recoverable Volume by Logtypes. *New Zealand Journal of Forestry Science* 9(1): 225-239.
- Florence, R. G. 1996: "Ecology & Silviculture of Eucalypt Forests" CSIRO Publishing.
- Forrester, D.; Bauhus, J.; Connell, M. 2002: Competition in thinned Silvertop Ash (*Eucalyptus sieberi*L. Johnson) stands from early coppice growth.
 Forest Ecology and Management 174: 459-475.
- FRI 1997: Naturally durable wood-is it a practical alternative to preservative-treated pine? What's New in Forest Research No. 245. NZ Forest Research Institute, Rotorua.
- FRI 1982: Establishing Eucalypts. What's New in Forest Research No.107. NZ Forest Research Institute, Rotorua.
- Fry, G. 1983: Eucalypts in New Zealand: a position report. New Zealand Journal of Forestry. 28 (3): 394-411.
- Gadgil, P.D.; Dick, M.A. 1999: Fungi Silvicolae Novazalandiae: 2 New Zealand Journal of Forestry Science 29: 440.
- Gaunt, D J; Penellum, B S; McKenzie, H M; 2002. Eucalyptus nitens Laminated Veneer Lumber (LVL) structural properties. New Zealand Journal of Forestry Science 33(1): 114-125 (2002).
- Gerrard, A.M; Medhurst, J.L. and Nielsen, W.A. 1997: Research results for thinning and pruning eucalypt plantations for sawlog production in Tasmania. August, Forests and Forest Industry Council, Forestry Tasmania.



- Glass, B.P. 1985: Some factors affecting branch control and defect core in *Eucalyptus saligna*. Forest Research Institute, FRI Bulletin No. 87.
- Hall, I. 2006: Mycorrhizal inoculation in forest tree nurseries. New Zealand. *Tree Grower*, November 2006.
- Harris, J.M.; Young, G.D. 1988: Wood properties of eucalypts and blackwood grown in New Zealand. Proc. AFDI International Forestry Conference for the Australian Bicentenary, NSW, Australia, Vol. III.
- Haslett, A.N. 1985: Summary of properties and uses of New Zealand-grown speciality hardwoods. TITC Exotic Hardwoods Utilisation Workshop, October 1985.
- Haslett, A.N. 1986: Properties and utilisation of exotic speciality timbers grown in New Zealand. Part I: Notes on timber properties and test methods. FRI Bulletin No.119.
- Haslett, A.N. 1988a: Properties and Utilisation of Exotic Speciality Timber Grown in New Zealand Part V: Ash Eucalypts and *Eucalyptus nitens*. New Zealand Forest Research Institute, FRI Bulletin No. 119, 20 pp.
- Haslett, A.N. 1988b: A guide to Handling and Grade-Sawing Plantation-grown eucalypts. FRI Bulletin 142.
- Haslett, A.N. 1990: Properties and utilisation of exotic speciality timbers grown in New Zealand. Part VI: Eastern blue gums and stringy barks. FRI Bulletin No.119.
- Hay, A.E.; Nicholas, I. D.; Shelbourne, C.J.A. 2005:
 Plantation Forestry Species: Alternatives to Radiata Pine. In: Colley, M. (ed). NZIF
 Forestry Handbook, New Zealand Institute of Forestry, pp. 83-86.
- Hood, I. and Alexander, N. 2006:A survey of septoria leaf blight. New Zealand. *Tree Grower*, August 2006.
- Hunter, I.; Knight, P.; Messina, M. 1989: A statistical and graphical method for assessing the performance of forest tree species during the establishment phase, relative to a marker species. *Commonwealth Forestry Review* 68(3), 1989: 181-9.

- Jacobs, M.R.1955: Growth habits of the eucalypts. *Forestry and Timber Bureau. Australia.* 262 pp.
- Johnson, G.R.; Wilcox, M.D. 1989: *Eucalyptus* species trials on pumiceland. *N.Z. Forestry*, May 1989.
- King, M. 1980: Eucalypts in the Wairarapa. Wairarapa Catchment Board, Masterton.
- Kininmonth, J.A..; Revell, D.H.; Williams, D.H. 1974: Utilisation of New Zealand-grown eucalypts for sawn timber and veneer. *New Zealand Journal of Forestry*. 19 (2), 246-63.
- Knight, P.J.; Nicholas, I.D. 1996: Eucalypt Nutrition: New Zealand Experience. In: *Nutrition of Eucalypts*. Peter M. Attiwill and Mark A. Adams (editors), CSIRO, Australia. Pp 275-302.
- Little, K.M. and Gardner, R.A.W. 2003: Coppicing ability of 20 Eucalyptus species grown at two high-altitude sites in South Africa. *Can.J.For. Res.* 33:181-189.
- Loock, E.E.M. 1970: Eucalyptus species suitable for the production of honey. South African Department of Forestry, Bulletin No. 46.
- Maclaren, P. 2005: Realistic alternatives to radiata pine in New Zealand a critical review.

 New Zealand Journal of Forestry,
 May 2005 3-10.
- McConnochie, R. and Low, C. 2007: Eucalypt Species Wood Properties and Sawing Study. Poster abstract, Eucalypts For High Value Timber Conference, Melbourne, October 2007.
- McKenzie, H.; Glass, B.P. 1989:Decay distribution in relation to pruning and growth stress in plantation-grown *Eucalyptus regnans* in New Zealand. *New Zealand Journal of Forest Science* 19 210-22.
- McKenzie, H.; Hay, A.E. 1996: Performance of Eucalyptus saligna in New Zealand. New Zealand Forest Research Institute, FRI Bulletin No. 195, 31 p.
- McKenzie, H. and Hawke, A. 1999: Growth response of *Eucalyptus regnans* dominant trees to thinning in New Zealand. *New Zealand Journal of Forest Science* 29(2): 301-310.



- McKenzie, H.; Ball, R.; Roper, J. 2000: Quality of timber sawn from pruned plantation-grown *Eucalyptus fastigata* in New Zealand. *in* The Future of Eucalypts for Wood Products, *Proceedings of IUFRO conference, Launceston, March* 2000.
- McKenzie, H M; Turner, J C P; Shelbourne, C J A; 2003a. Processing young plantation-grown *Eucalyptus nitens* (Dean et Maiden) for solid-wood products: 1. Individual-tree variation in quality and recovery of appearance-grade lumber and veneer. *New Zealand Journal of Forestry Science* 33(1): 62-78
- McKenzie, H M; Shelbourne, C J A; Kimberley, M O; McKinley, R B; Britton, R A J; 2003b. Processing young plantation-grown *Eucalyptus nitens* (Dean et Maiden) for solidwood products: 2. Predicting product quality from tree, increment core, disc and onemetre billet characteristics. *New Zealand Journal of Forestry Science* 33(1): 79-113
- McKimm, R.J.; Waugh, G.; Northway, R.L. 1988: Utilisation potential of plantation-grown *Eucalyptus nitens*. Aus.For. 51(1):63-71.
- McKinley, R.B.; Shelbourne, C.J.A.; Harris, J.M.; Young, G.D. 2000: Variation in whole-tree basic density of a range of plantation species grown in New Zealand. *New Zealand Journal of Forest Science* 30(3): 436-446.
- Miller, J. 1989: Choice of species for firewood production. In: R.G. Shula *et al.* (eds) The Firewood Venture. FRI Bulletin No. 137.
- Miller, W.; Young, G. 1989: Wood properties of firewood. In: R.G. Shula *et al.* (eds) The Firewood Venture. FRI Bulletin No. 137.
- Miller, J.T.; Hay, A.E.; Ecroyd, C.E. 2000:
 Introduced forest trees in New Zealand:
 Recognition, role and seed source. Part 18.
 The Ash Eucalypts: *E fastigata*, *E. regnans*, *E. obliqua*, *E. fraxinoides*, *E. delegatensis*, *E. fraxinoides*, *E. sieberi*, *E. oreades*, *E. pauciflora*, *E. dendromorpha* and *E. paliformis*. NZFRI Bulletin 124.
- Milligan, G. 1989: Frosting in Eucalypts.

 New Zealand Tree Grower, May 1989

- Milne, P. 1991: Wood properties of *Eucalyptus* nitens grown in South Island, New Zealand.
 Dissertation for NZ Dip.Sci.AAVA (The Authority for Advanced Vocational Awards)
- Mohammed, C.; Barry, K.; Battaglia, M.; Beadle, C.; Eyles, A.; Mollon, A.; Pinkard, E. 200: Pruning-associated stem defects in plantation *E. nitens* and *E. globulus* grown for sawlog and veneer in Tasmania, Australia. In the future of eucalypts for wood products. Proceedings of IUFRO conference 19-24 March, Launceston, Tasmania. Pp. 357-364
- Mortimer, J.; Mortimer B. 1984: Trees for the New Zealand countryside: a planter's guide. Silverfish, Auckland.
- Nicholas, I.D. 1991: Specialty timber species for farm sites. *In*: Allen, J.C. and Whyte, A.G.D. (Eds) *Proceedings of Australian and New Zealand Institutes of Forestry Conference*, Christchurch 1991.
- Nicholas, I.D. 1992: Pruning eucalypts. *New Zealand Tree Grower* 13(3), 18-20.
- Nicholas, I.D. 1999: The effect of spacing on *E. regnans* branch characteristics implications for forest managers. A thesis submitted in partial fulfilment of a Master of Philiosophy degree, Waikato University, Hamilton.
- Nicholas, I.D.; Calderon, S.S. 1989: The influence of wind on the silviculture of special purpose species. Pp. 59-61 *in* A. Somerville *et al*. (Ed.) *Workshop on Wind Damage in New Zealand's Exotic Forests*. Ministry of Forestry (NZ), FRI Bulletin No. 146.
- Nicholas, I.D.; Hay, A.E. 1990: Selection of specialpurpose species: Effect of pests and diseases. *New Zealand Journal of Forestry Science* 20(3): 279-89.
- Nicholas, I.D.; Hay A.E.; Moberly, B.W.A. 1991: Eucalypt Establishment Research in New Zealand - A Summary. Pp 141-151 in Menzies, M I, Parrott, G E and Whitehouse, L J (Eds) Proceedings of IUFRO Symposium on Efficiency of stand operations. FRI Bulletin 156.



- Oliver, G. R. 1991: Growth and Biomass of a Eucalyptus nitens coppice trial in New Zealand. In Menzies M. I. et al. (Eds) Proceedings of IUFRO Symposium Efficiency of Stand Establishment Operations, FRI, Rotorua, New Zealand 11-15 September, 1989. Pp 261 - 268.
- Pinkard, E. A and Beadle, C. L. 2000a: A physiological approach to pruning. *International Forestry Review*. 2(4) 295-305.
- Pinkard, E. A and Beadle, C. L. 2000b: Factors affecting pruning response in Eucalypt plantations. In the future of eucalypts for wood products. *Proceedings of IUFRO conference* 19-24 March, Launceston, Tasmania. Pp. 328-334
- Pinkard, E. A and Beadle, C. L. 1998: Effects of green pruning on growth and stem shape of Eucalyptus nitens (Dean & Maiden)
 Maiden to green pruning. Trees 12.
 119-129.
- Power, I.L.; Dodd, M.B.; Thorrold, B.S.; Nicholas, I. D. 2000: The effects of thinning and pruning on light levels under a *Eucalyptus nitens* canopy, *Tree Grower*, August 2000.
- Roper, J.; Hay, E. 2000: Sliced veneer production from pruned plantation grown *eucalyptus* in New Zealand. . IN The Future of Eucalypts for Wood Products, *Proceedings of IUFRO conference*, Launceston, March 2000.
- Shelbourne, C.J.A.; Low, C.B.; Smale, P.J. 2000: Eucalypts for Northland: 7- to 11-year results from trials of nine *species at four sites. New Zealand Journal of Forestry* Science 30(3): 366-383.
- Shelbourne, C.J.A.; Nicholas, I.D.; McKinley, R.B.; Low, C.B.; McConnochie, R.M.; Lausberg, M.J.F. 2002a: Wood density and internal checking of young *Eucalyptus nitens* in New Zealand, as affected by site and height up the tree. *New Zealand Journal of Foretry Science* (2002) Vol. 32(3). Pp. 357-385.
- Shelbourne, C.J.A.; Bulloch, B.T.; Low, C. B.; McConnochie, R.M. 2002b: Performance to age 22 years of 49 eucalypts in the Wairarapa, New Zealand. New Zealand Journal of Forestry Science 32(2) 256-278.

- Shula, R.G.; Hay, A.E.; Tarlton, G.L. (Eds.) 1989: The firewood venture: planning, execution, evaluation. Ministry of Forestry, FRI Bulletin No. 137.
- Simmonds, J.H. 1927: Trees from other lands for shelter and timber in New Zealand: Eucalypts. Brett Publishing Co., Auckland. 144p.
- Sims, R.E.H. 2001: Short rotation coppice tree species selection for woody biomass production in New Zealand. *Biomass & Bioenergy, 20:* 329-335.
- Sims R.E.H.; Senelwa K.; Maiava T.; Bullock, B.T. 1999: Eucalyptus species for biomass energy in New Zealand Part II: Coppice performance. *Biomass & Bioenergy* 17: 333-343.
- Snowdon K.D. 2003: Taupo Land Use Study, Taupo, LTDC, Taupo.
- Somerville, A. and Gatenby, S. 1996: Evaluation of *Eucalyptus globoidea* grown on Matakana Island. *Forest& Farm Plantation Management Cooperative Report* No. 36, November 1996.
- Stockley, G. 1973: Trees Farms and the New Zealand Landscape. Dipton, Northern Southland Farm Forestry Assn.
- Stubbings, J. A. 1988:Australian species in South Africa. Their silviculture and uses. In: *The* proceedings of the International Forestry Conference for the Australian Bicententary, Vol 3 of 5, Albury-Wodonga 25th April-1st May. The Australian Forest Development Institute.
- Tewari, D.N. 1992: Monograph on eucalyptus. *Surya Publication*. India. 361 pp (55 pp).
- Thorrold, B.S.; Knowles, R.L.; Nicholas, I.D.; Power, I.L.; Carter J.L. 1997: Evaluation of agroforestry options for three tree species. Grasslands Conference, Auckland 1997.
- Vanner, A.L. 1991: Tolerance of several species of tree seedlings to oxyfluorfen.

 In 'Proceedings 44th NZ Weed and Pest Control Conference.'

